

Heutige potenzielle natürliche Vegetation (HPNV)


-  Typischer Hainsimsen-Buchenwald
(Luzulo-Fagetum typicum)
-  Hainsimsen-Buchenwald mit Rasen-Schmiele
(Luzulo-Fagetum deschampsietosum)
-  Flattergras-Hainsimsen-Buchenwald
(Luzulo-Fagetum milietosum)
-  Flattergras-Buchenwald
(Milio-Fagetum)
-  Moorbirkenwald
(Vaccinio uliginosi-Betuletum pubescentis)
-  Kleinseggen-Erlensumpfwald
(Sphagno-Alnetum glutinosae)
-  Hainmieren-Bacherlenwald
(Stellario-Alnetum)
-  Hainmieren-Stieleichen-Hainbuchenwald
und Hainmieren-Bacherlenwald im Wechsel
-  Hainmieren-Stieleichen-Hainbuchenwald
(Stellario-Carpinetum)

nach Cezanne & Hodvina (1987): Landschaftsökologisches Gutachten
zum Flurbereinungsverfahren Mossautal

Landschaftsplan Gemeinde Mossautal

Themenkarte "Heutige potenzielle natürliche Vegetation"

M 1 : 25.000



Dipl.-Ing. Daniela Grosser-Seeger
Landschaftsarchitekt

Nürnberg, 17.11.03
Bearbeitung: Dipl.-Ing. B. Walk

